

Part number:

**HYDROMA**

HYDRAULICKÉ SYSTÉMY

**HIDROMA  
SYSTEMS**

UKŁADY HYDRAULICZNE

**HYDROMA**

ГИДРАВЛИЧЕСКИЕ СИСТЕМЫ

Description

Machine

Author


Project

Pressure	<b>350</b>	<b>bar</b>	Fluid	<b>HLP</b>
Flow rate	<b>120</b>	<b>l/min</b>	Fluid type	<b>ISO VG 46 (SUS 216)</b>
D P max	<b>1,5</b>	<b>bar</b>	Viscosity	<b>46 cst</b>
Temperature	<b>40</b>	<b>°C</b>		
Filtration	<b>A10 10 µm absolute inorga</b>		Max operating pressure	<b>350 bar - 5075 psi</b>

**PRESSURE FILTER**

Filter type	Size	Length	Bypass	Seals	Connection	Filtration	Element
<b>FHD</b>	<b>326</b>	<b>2</b>	<b>B</b>	<b>A</b>	<b>G1</b>	<b>A10</b>	<b>R</b>
Indicator <b>DLA50HA51P</b>							


DP Housing	<b>0.73</b>	<b>bar</b>	Element type	<b>8HP3202A10ARP01</b>
DP Element	<b>0.32</b>	<b>bar</b>	Connections	<b>G1 1/4"</b>
DP complete filter	<b>1.05</b>	<b>bar</b>	No.Elem. in the housing	<b>2</b>



Description  
Author

Machine  
Project

Delta P/Q (Viscosity: 46 cst)



Delta P/T (Flow rate: 120 l/min)

